L Number	Hits	Search Text	DB	Time stamp
1	81	(rotor near2 (resin or plastic or	USPAT;	2003/02/07 13:56
		ceramic)) and shaft and (vane or blade)	US-PGPUB;	
		and (spline or key)	EPO; JPO;	
			DERWENT;	
			IBM_TDB; USOCR	
2	6	3396667.URPN.	USPAT	2003/02/07 13:56
3	71		USPAT;	2003/02/07 13:36
_		or "PTFE")) and shaft and (vane or blade)	US-PGPUB;	
		and (spline or key or splined)	EPO; JPO;	
			DERWENT;	
			IBM_TDB; USOCR	
4	8	((rotor near2 (resin or plastic or	USOCK USPAT;	2003/02/07 14:14
4		"TEFLON" or "PTFE")) and shaft and (vane	US-PGPUB;	2003/02/07 14.14
		or blade) and (spline or key or splined))	EPO; JPO;	
		and (418/\$.ccls.)	DERWENT;	
			IBM_TDB;	
_			USOCR	0000455455
5	6	"4144005"	USPAT;	2003/02/07 14:16
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
6	4	"4144005" and rotor and shaft	USPAT;	2003/02/07 14:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB;	
			USOCR	
7	О	(5421706.pn)and rotor and shaft	USPAT;	2003/02/07 14:21
		· ·	US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB; USOCR	
8	0	(5421706.pn) and rotor and shaft	USPAT;	2003/02/07 14:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	•
			IBM_TDB;	
9	1	(5421706.pn.) and rotor and shaft	USOCR USPAT;	2003/02/07 14:21
9	_	(0721/00.pii.) and focot and shall	US-PGPUB;	2003/02/07 14:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
-	602	464/160.ccls.	USPAT;	2003/02/06 13:08
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB;	
			USOCR	
-	200	464/160.ccls. and coupling	USPAT;	2003/02/06 10:30
			US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB;	
			USOCR	
-	0	464/160.ccls. and (coupling adj3 surface)	USPAT;	2003/02/06 10:30
l		and rotor	US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	<u> </u>

			1	
-	33	464/160.ccls. and (coupling) and rotor	USPAT;	2003/02/06 10:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	21	ACA /1 CO	USOCR	2002/02/05 10 20
-	31	1	USPAT;	2003/02/06 10:38
		and shaft	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB;	
			USOCR USOCR	
_	0	(464/149.ccls.) and (coupling near4	USPAT;	2003/02/06 13:09
	Ĭ	surface) and rotor and shaft	US-PGPUB;	2003,02,00 13.03
		barrado, and rotor and bhare	EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
_	3	(464/149.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:17
		and shaft	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
-	0	(USPAT;	2003/02/06 13:18
		and shaft	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
		4464/247	USOCR	0000/00/06 10 10
-	0	(464/347.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:18
		and shaft	US-PGPUB;	
		,	EPO; JPO; DERWENT;	
			IBM TDB;	
			USOCR USOCR	
_	0	(464/335.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:18
		and shaft	US-PGPUB;	2000, 02, 00 10.10
			EPO; JPO;	٦
			DERWENT;	
			IBM TDB;	
			USOCR	•
-	0	(464/335.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:18
			US-PGPUB;	
1		, in the second	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	ا ۔	(402/247 1-) 1 (1')	USOCR	2002/02/20 12
-	0	,	USPAT;	2003/02/06 13:18
		and shaft	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
_	0	(403/335.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:18
		and shaft	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
-	2	(403/34.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:19
		and shaft	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

-	9	(403/343.ccls.) and (coupling) and rotor	USPAT;	2003/02/06 13:21
		and shaft	US-PGPUB;	
			EPO; JPO;	j
			DERWENT;	
			<pre>IBM_TDB;</pre>	
			USOCR	
-	1	"4929159" and coupling	USPAT;	2003/02/06 13:21
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	•
			IBM TDB;	1
			USOCR	
-	2	"4929159" and rotor and shaft	USPAT;	2003/02/06 13:22
	_	1323103 and 10col and Shale	US-PGPUB;	2003/02/00 13:22
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB;	
	1 1		USOCR	
-	11	,	USPAT;	2003/02/06 13:44
		surface) and rotor and shaft	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
-	5	"4604041"	USPAT;	2003/02/06 13:45
	1		US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	1
			IBM_TDB;	
	1	#4604041# and /normline add26>	USOCR	0000/00/05 10 15
_	1	"4604041" and (coupling adj3 surface) and	USPAT;	2003/02/06 13:45
		rotor and shaft	US-PGPUB;	
		<i>,</i>	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	•
			USOCR	
-	22	"2354039"	USPAT;	2003/02/06 13:46
			US-PGPUB;	٠.
			EPO; JPO;	İ
			DERWENT;	
			IBM TDB;	
			USOCR	-
_	6	"4929159"	USPAT;	2003/02/06 14:30
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
]			IBM TDB;	
			USOCR	
_	1	"3191541".PN.	USPAT	2003/02/06 14:21
_	1	"4345886".PN.	USPAT	2003/02/06 14:21
_	1	"3191541".PN.		
_	6	"5181843"	USPAT	2003/02/06 14:21
'		2101042	USPAT;	2003/02/06 14:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
		•	IBM_TDB;	
	_		USOCR	
-	2	"5181843" and rotor and shaft and plastic	USPAT;	2003/02/06 15:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	-
			IBM TDB;	
			USOCR	l
-	13	"2622164"	USPAT;	2003/02/06 16:42
	İ		US-PGPUB;	
		i	EPO; JPO;	
		,	DERWENT;	ļ
		-	IBM TDB;	1
]			USOCR	
L			USUCK	

	·		T	T
-	583	418/152.ccls.	USPAT;	2003/02/06 16:44
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB;	
i		·	USOCR	
-	158	418/152.ccls. and rotor and shaft and	USPAT;	2003/02/06 16:48
		(vane or blade)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB;	
			USOCR	
_	9	418/152.ccls. and (rotor near2 plastic)	USPAT;	2003/02/06 17:02
		and shaft and (vane or blade)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
i _	9	(418/152.ccls. and rotor and shaft and	USOCR	2002/02/06 16.50
-	9	(vane or blade)) and splined	USPAT; US-PGPUB;	2003/02/06 16:58
		(valie of blade), and splined	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	_	W01076707	USOCR	0000/65/55
-	7	"3187679"	USPAT;	2003/02/06 16:59
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
-	6	("3187679" "3187699" "3281064"	USPAT	2003/02/06 17:00
		"3485179" "3552895" "4209286").PN.		0000/00/00/0
-	3	(418/152.ccls. or 418/255.ccls.) and (rotor near2 plastic) and shaft and (vane	USPAT; US-PGPUB;	2003/02/06 17:18
		or blade) and spline	EPO; JPO;	
:		or prade, and sprine	DERWENT;	
			IBM TDB;	
			USOCR	٠,
-	2	"5707222"	USPAT;	2003/02/06 17:09
			US-PGPUB; EPO; JPO;	·
			DERWENT;	•
			IBM TDB;	
			USOCR	
-	5	(418/152.ccls. or 418/255.ccls.) and	USPAT;	2003/02/06 17:14
		(rotor near2 (plastic or resin)) and shaft	US-PGPUB;	
		and (vane or blade) and spline	EPO; JPO; DERWENT;	
			IBM TDB;	
			USOCR	
-	42	(418/152.ccls. or 418/255.ccls.) and	USPAT;	2003/02/06 17:15
		<pre>(rotor near3 (plastic or resin))</pre>	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB;	
		,	USOCR	
_	5	((418/152.ccls. or 418/255.ccls.) and	USPAT;	2003/02/06 17:16
		(rotor near3 (plastic or resin))) and	US-PGPUB;	
		(shaft near3 (key or spline))	EPO; JPO;	
			DERWENT;	
			IBM_TDB; USOCR	
_	14	(rotor near2 (resin or plastic)) and shaft	USOCR USPAT;	2003/02/06 17:56
	- '	and (vane or blade) and spline	US-PGPUB;	2000,02,00 17.50
		• • • •	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB;	
L			USOCR	

-	22	(rotor near2 (resin or plastic or ceramic	USPAT;	2003/02/06 18:01
		or "TEFLON")) and shaft and (vane or	US-PGPUB;	
		blade) and spline	EPO; JPO;	
		•	DERWENT;	
			IBM TDB;	
			USOCR	